Attorney's Docket No.: 34874-093 / 2004P00135US

## Amendments to the Claims:

This listing of claims replaces all prior listings of claims:

1. (Currently Amended) A method of executing a query on a data repository, the method comprising:

receiving a query for execution on data in the data repository; generating an estimate of a number of results of the query; defining a subset of data in the data repository;

determining whether to execute the query on the subset of the data, the query to be executed on the subset of the data if the estimate of the number of results of the query indicates that executing the query on the subset of the data is estimated to return a number of results greater than a threshold number;

if the query is to be executed on the subset of the data, executing the query on the subset of the data to generate a partial set of results, otherwise executing the query on the data repository to generate a complete set of results; and providing query results.

- 2. (Original) A method in accordance with claim 1, wherein providing query results comprises making the query results available to an application program.
- 3. (Original) A method in accordance with claim 2, further comprising: the application program providing query results to a user interface.
- 4. (Canceled)
- 5. (Original) A method in accordance with claim 1, wherein determining whether to execute the query on the subset of the data comprises estimating whether executing the query on the subset of the data would generate a desired number of results, the method further comprising: receiving a value representing the desired number of results.

6. (Currently Amended) A method in accordance with claim 1, wherein: the method further comprises receiving a value representing [[the]] a desired number of results:

the query is to be executed on the subset of the data if the estimate of the number of results of the query is greater than a weighted subset estimate generated in accordance with the following estimation function:

$$R*\frac{N}{stripeSize}*F$$
, where R is the number of results desired, N is the total number of possible results, F is a real number an arbitrary number, and  $stripeSize$  is the size of the subset of the data; and

determining whether to execute the query on the subset of the data comprises:

generating the weighted subset estimate; and

determining whether the estimate of the number of results of the query is greater than the weighted subset estimate.

- 7. (Currently Amended) A method in accordance with claim 1 further comprising: in response to executing the query on an (N-1)th a previous subset of the data, determining whether a sufficient number of results have been generated; and if a sufficient number of results have been generated, defining an Nth a next subset of the data in the data repository and executing the query on the [[Nth]] next subset of the data, otherwise executing the query on the data repository.
- 8. (Currently Amended) A method in accordance with claim 1, wherein generating an estimate of a number of results of the query is generated in accordance with the following estimation functions:

$$\begin{split} & est(NOT) &= N - est(op) \,, \\ & est(AND) = \frac{est(op_1) * est(op_2)}{N} \,, \text{ and} \\ & est(OR) = est(op_1) + est(op_2) - \frac{est(op_1) * est(op_2)}{N} \,, \end{split}$$

where op is an operand, est() returns signifies an estimate of a number of results matching the operator or operand in the parenthesis, and N is the total number of possible results.

9. (Currently Amended) An information management system, the system comprising: a data repository, wherein the data repository is configured to store data; and one or more processes for executing queries on the data repository, wherein the one or more processes are operative to:

receive a query for execution on data in the data repository; generate an estimate of a number of results of the query; define a subset of data in the data repository;

determine whether to execute the query on the subset of the data, the query to be executed on the subset of the data if the estimate of the number of results of the query indicates that executing the query on the subset of the data is estimated to return a number of results greater than a threshold number;

if the query is to be executed on the subset of the data, execute the query on the subset of the data to generate a partial set of results, otherwise execute the query on the data repository to generate a complete set of results; and provide query results.

- 10. (Canceled)
- 11. (Original) An information management system in accordance with claim 9, wherein the operation of providing query results comprises making the query results available to an application program.
- 12. (Original) An information management system in accordance with claim 9, wherein the operation of determining whether to execute the query on the subset of the data comprises estimating whether executing the query on the subset of the data would generate a desired number of results, the one or more processes are further operative to:

receive a value representing the desired number of results.

13. (Currently Amended) An information management system in accordance with claim 9, wherein the one or more processes are further operative to:

in response to executing the query on an (N-1)th a previous subset of the data, determine whether a sufficient number of results have been generated; and

if a sufficient number of results have been generated, define <u>a next an Nth</u> subset of the data in the data repository and execute the query on the [[Nth]] <u>next</u> subset of the data, otherwise execute the query on the data repository.

14. (Currently Amended) A computer program product, tangibly embodied on an information carrier, the computer program product comprising instructions operable to cause data processing apparatus to:

receive a query for execution on data in a data repository; generate an estimate of a number of results of the query; define a subset of data in the data repository;

determine whether to execute the query on the subset of the data, the query to be executed on the subset of the data if the estimate of the number of results of the query indicates that executing the query on the subset of the data is estimated to return a number of results greater than a threshold number;

if the query is to be executed on the subset of the data, execute the query on the subset of the data to generate a partial set of results, otherwise execute the query on the data repository to generate a complete set of results; and

provide query results.

- 15. (Original) A computer program product in accordance with claim 14, wherein the operation of providing query results comprises making the query results available to an application program.
- 16. (Canceled)
- 17. (Original) A computer program product in accordance with claim 14, wherein the operation of determining whether to execute the query on the subset of the data comprises

estimating whether executing the query on the subset of the data would generate a desired number of results, the computer program product further comprising instructions operable to: receive a value representing the desired number of results.

18. (Currently Amended) A computer program product in accordance with claim 14, wherein the computer program product further comprises instructions operable to:

in response to executing the query on an (N - 1)th a previous subset of the data, determine whether a sufficient number of results have been generated; and

if a sufficient number of results have been generated, define an Nth a next subset of the data in the data repository and execute the query on the [[Nth]] next subset of the data, otherwise execute the query on the data repository.

- 19. (New) A method in accordance with claim 6, wherein F is a natural number.
- 20. (New) An information management system in accordance with claim 9, wherein the one or more processes are further operative to:

generate a weighted subset estimate of performing a query on a data repository in accordance with the following estimation function:

$$R * \frac{N}{stripeSize} * F$$
, where R is a number of results desired, N is the total number

of possible results, F is a real number, and stripeSize is the size of the subset of the data;

determine to execute the query on a subset of data in the data repository if the weighted subset estimate is greater than an estimate of the number of results of the query; and

determine to execute the query on the data repository if the estimate of the number of results of the query is greater than the weighted subset estimate.

21. (New) An information management system in accordance with claim 9, wherein the one or more processes are further operative to:

generate an estimate of a number of results of a query in accordance with the following estimation functions:

$$est(NOT) = N - est(op),$$

$$est(AND) = \frac{est(op_1) * est(op_2)}{N}, \text{ and}$$

$$est(OR) = est(op_1) + est(op_2) - \frac{est(op_1) * est(op_2)}{N},$$

where op is an operand, est() returns an estimate of a number of results matching the operator or operand in the parenthesis, and N is the total number of possible results;

determine to execute the query on a subset of data in the data repository if a weighted subset estimate is greater than the estimate of the number of results of the query; and determine to execute the query on the data repository if the estimate of the number of results of the query is greater than the weighted subset estimate.

22. (New) A computer program product, tangibly embodied on an information carrier, the computer program product comprising instructions operable to cause data processing apparatus to:

generate a weighted subset estimate of performing a query on a data repository in accordance with the following estimation function:

$$R * \frac{N}{stripeSize} * F$$
, where R is a number of results desired, N is the total number

of possible results, F is a real number, and stripeSize is the size of the subset of the data;

determine to execute the query on a subset of data in the data repository if the weighted subset estimate is greater than an estimate of the number of results of the query; and

determine to execute the query on the data repository if the estimate of the number of results of the query is greater than the weighted subset estimate.

23. (New) A computer program product, tangibly embodied on an information carrier, the computer program product comprising instructions operable to cause data processing apparatus to:

generate an estimate of a number of results of a query in accordance with the following estimation functions:

$$\begin{split} est(NOT) &= N - est(op)\,, \\ est(AND) &= \frac{est(op_1) * est(op_2)}{N}\,, \text{ and} \\ est(OR) &= est(op_1) + est(op_2) - \frac{est(op_1) * est(op_2)}{N}\,, \end{split}$$

where *op* is an operand, *est*() returns an estimate of a number of results matching the operator or operand in the parenthesis, and N is the total number of possible results;

determine to execute the query on a subset of data in the data repository if a weighted subset estimate is greater than the estimate of the number of results of the query; and determine to execute the query on the data repository if the estimate of the number of results of the query is greater than the weighted subset estimate.